


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62 63



1899-1900

5-27

Biltmore Nursery

WHOLESALE TRADE-LIST

SEASON OF 1899-1900

THE BILTMORE NURSERY

was established in 1889. During the ten years that have elapsed almost the entire product has been used for landscape and forest planting on the Biltmore Estate. In 1898, for the first time, a small surplus of stock was offered to the trade by means of a typewritten list, and in this, the first published price-list, is offered the surplus stock of the present season.

THE LOCATION

is in the heart of the mountains of western North Carolina, at an elevation of about two thousand feet above sea level. An annual rainfall of 43 inches, and a temperature ranging from 90° above to 12° below zero, combined with a long growing season and rich soil, produce a

QUALITY OF STOCK

unusually good in root formation, thriftiness and hardiness. **All our stock is nursery grown; we do not offer cheap, collected stock.**

LANDSCAPE ARCHITECTS

will find it particularly suited in quality and kind to the demands of general work, park and forest planting. Our greenhouse and coldframe areas comprise about 34,000 square feet, which, with a variety of soils carefully tilled, trained men and an ideal climate, give us especial facilities for furnishing rooted cuttings, seedlings and transplanted plants.

NURSERYMEN

will find the small plants particularly valuable for transplanting into nursery rows. The stock of the Biltmore Nursery has been inspected by state officials, and is pronounced free from

INSECT AND FUNGOUS PESTS

A certificate of inspection will be sent with each shipment.

PACKING

The utmost care will be used in preparing the plants for shipment, and charges will be made at actual cost. Purchasers are requested to **specify mode of shipment**; otherwise, we will forward goods according to our best judgment.

TERMS CASH WITH ORDER

except to such persons as satisfy us as to their responsibility.

CLAIMS

All goods travel at purchaser's risk. We do not assume any responsibility for the safe delivery and condition of goods after a proper shipment has been made, unless the terms of agreement so specify and guarantee.

Special inducements are offered on nursery stock delivered anywhere in the United States. Write for quotations on your wants.

Address all communications to

THE BILTMORE NURSERY,

Buncombe County.

Biltmore, North Carolina.

TREES.

"C" signifies rooted cuttings in nursery rows; "S" signifies seedlings not transplanted; "tr." signifies stock has been transplanted.

			Per 10	100	1,000
Abies concolor , White Fir	twice tr.	2 to 4 ft.	\$3 50		
" douglasi . See Pseudotsuga .					
" fraseri , Balsam Fir	twice tr.	1 ft.	75	\$5 00	
"	twice tr.	4 ft.	7 50		
Acer campestre , English Field Maple	tr.	1 to 2 ft.	20	1 20	
"	tr.	2 to 3 ft.	2 00		
" circinatum , Vine Maple	twice tr.	3 ft.	2 00		
" glabrum , Dwarf or Rocky Mountain Maple . . S.		8 in.	30	2 00	
" leucoderme , White-barked Maple S.		1 ft.	75	6 50	
" macrophyllum , Oregon or Broad-leaved Maple . S.		1 ft.	60		
"	tr.	2 ft.	1 00	8 00	
" negundo , Ash-leaved Maple	tr.	2 to 3 ft.	25	1 75	
"	tr.	4 to 6 ft.	50	4 00	
" nigrum , Black Sugar Maple S.		1 ft.	40	3 50	
" palmatum , Palmate Japanese Maple S.		8 in.	50		
" pennsylvanicum , Striped Maple S.		6 to 12 in.	40	3 00	\$20 00
"	tr.	3 to 4 in.	2 00		
" platanoides , Norway Maple	tr.	1 to 2 ft.	50	2 00	
" pseudo-platanus , Sycamore Maple	tr.	2 to 3 ft.	1 50		
" rubrum , Red Maple	tr.	1 to 3 ft.	20	1 50	12 00
" saccharinum (<i>A. dasycarpum</i>). Silver Maple	twice tr.	9 ft.	1 75	15 00	
" saccharum , Sugar Maple	tr.	3 to 5 ft.	50		
" tataricum , Tartarian Maple S.		10 in.	75		
Æsculus glabra , Ohio Buckeye	tr.	1 to 2 ft.	50		
" octandra , Sweet or Yellow Buckeye . . . tr.		1 to 2 ft.	40	3 00	20 00
"	tr.	2 to 4 ft.	1 50	12 00	
Ailanthus glandulosa , Tree-of-Heaven	tr.	5 to 8 ft.	1 25	10 00	
Amelanchier botryapium , Shad-bush	tr.	2 to 3 ft.	1 00	7 50	
Betula lenta , Sweet Birch	tr.	2 ft.	40	3 00	
" nigra , Black Birch	tr.	2 to 3 ft.	50	3 50	27 50
Biota . See Thuja .					
Broussonetia papyrifera , Paper Mulberry	tr.	5 to 6 ft.	1 25		
Carpinus betulus , European Hornbeam		4 ft.	2 00		
" caroliniana , Water Beech S.		1 to 2 ft.	25	2 25	
Carya . See Hicoria .					
Castanea dentata (<i>C. americana</i>), American Sweet Chestnut	S.	1 to 2 ft.		1 00	5 00
"	tr.	2 to 3 ft.	25	1 50	10 00
Cedrus deodara , Indian Cedar	tr.	2 ft.	2 50		
Celtis mississippiensis , Southern Hackberry	tr.	1 ft.	1 00	8 50	
" occidentalis , Hackberry or Sugarberry . . . tr.		2 to 3 ft.	1 00	8 50	
Cephalotaxus drupacea	tr.	1 ft.	2 00		
" fortunei , Fortune's Yew	tr.	2 ft.	2 00		

TREES, continued.

			Per 10	100	1,000
Cerasus. See Prunus.					
Cercis occidentalis , Western Judas Tree	tr.	1 to 2 ft.	\$1 50		
Chamæcyparis lawsoniana , Lawson's Cy-					
press	twice tr.	1 to 2 ft.	2 00		
"	twice tr.	5 ft.	8 00		
"	named variet s. twice tr.	2 ft.	2 25		
"	nootkatensis	twice tr.	3 ft.	1 75	
"	named variet's. twice tr.	3 ft.	2 00		
"	obtusa	twice tr.	2 ft.	1 50	
"	compacta	twice tr.	2 ft.	1 75	
"	gracilis	twice tr.	2 ft.	1 75	
"	pisifera	twice tr.	1 to 2 ft.	2 00	
"	twice tr.	2 to 3 ft.	2 50		
"	filifera	twice tr.	1 to 2 ft.	2 25	
"	twice tr.	2 to 3 ft.	2 75		
"	plumosa	twice tr.	1 to 2 ft.	2 25	
"	twice tr.	2 to 3 ft.	2 75		
"	aurea	twice tr.	1 to 2 ft.	2 25	
"	twice tr.	2 to 3 ft.	2 75		
"	sphæroidea	twice tr.	2 to 3 ft.	2 50	
"	andelyensis	twice tr.	2 to 3 ft.	2 75	
Cladrastis lutea , Yellow-wood	tr.	2 ft.	1 75		
Cornus florida , White-flowered Dogwood	S.	1 ft.	25	\$1 75	\$9 00
"	tr.	1 to 2 ft.	60	4 00	17 50
Cratægus. See Shrubs.					
Cunninghamia sinensis , Chinese Fir	tr.	2 to 3 ft.	2 50		
Diospyros Virginiana , Persimmon	tr.	2 to 3 ft.	25	2 00	17 50
"	tr.	3 to 4 ft.	1 00	5 00	35 00
Fraxinus americana , American White Ash	S.	1 ft.	25	1 50	12 00
"	tr.	2 to 3 ft.	40	3 25	30 00
"	tr.	10 to 12 ft.	2 50		
"	lanceolata (<i>F. viridis</i>), Green Ash	tr.	4 ft.	1 00	7 50
"	longicuspis, Pointed-leaved Japanese Ash. tr.	5 to 7 ft.	3 25		
"	nigra, Black Ash	S.	1 to 2 ft.	20	1 50 9 00
"	oregona, Oregon Ash	tr.	3 to 4 ft.	2 50	
"	tr.	5 to 8 ft.	3 25		
"	pennsylvanica (<i>F. pubescens</i>), Red Ash	tr.	1 to 2 ft.	40	3 25
Gleditschia aquatica , Water Locust	tr.	1 to 2 ft.	50	2 00	15 00
"	japonica, Japanese Locust	tr.	6 to 7 ft.	3 25	
"	triacanthos, Honey Locust	tr.	3 to 5 ft.	50	3 50
Gordonia altamaha , Franklinia	tr.	1 ft.	1 00	8 50	
"	tr.	4 ft.	2 00		
Gymnocladus dioica (<i>G. canadensis</i>), Kentucky					
Coffee-tree	tr.	4 to 5 ft.	1 50	12 00	
Halesia. See Mohrodendron.					
Hicoria alba , White Hickory	S.	1 ft.	20	1 00	5 00
"	glabra, Pignut	S.	1 ft.	20	1 00 5 00
"	laciniosa, Big Shag-bark Hickory	S.	1 ft.	20	1 00 5 00
"	microcarpa, Small-fruited Hickory	S.	1 ft.	20	1 00 5 00
"	minima, Bitternut	S.	1 ft.	20	1 00 5 00
"	tr.	2 to 3 ft.	50	2 00	10 00
"	ovata, Shellbark	S.	1 ft.	20	1 00 5 00
"	villosa, Woolly Pignut	S.	1 ft.	20	1 00 5 00
Juglans cinerea , Butternut	S.	1½ to 2 ft.	20	1 00	5 00
"	tr.	3 to 4 ft.	75	5 00	
"	tr.	6 to 8 ft.	1 00	8 50	
"	nigra, Black Walnut	S.	1½ to 2 ft.	20	1 00 5 00
"	tr.	3 to 4 ft.	75	5 00	40 00
"	rupestris, Western Walnut	tr.	2 ft.	1 00	
"	sieboldianus, Siebold's Walnut	tr.	5 to 6 ft.	1 00	

TREES, continued.

TREES, continued.			Per 10	100	1,000
Juniperus virginiana , Red Cedar	tr.	1 ft.	\$0 50		
Larix laricina , American Larch	tr.	2 ft.	1 00		
Libocedrus decurrens , Post Cedar	tr.	1 to 2 ft.	1 00	\$8.00	
Liquidambar styraciflua , Sweet Gum	tr.	6 to 8 ft.	2 25		
Liriodendron tulipifera , Tulip-tree	tr.	5 to 8 ft.	2 00	15 00	\$120 00
" "		12 to 15 ft.	5 00	45 00	
Magnolia conspicua cyathiformis , Yulan	tr.	3 ft.	4 50		
" " soulangeana	tr.	3 to 4 ft.	3 00		
" " lennei	tr.	4 to 5 ft.	4 00		
" foetida (<i>M. grandiflora</i>), Southern Magnolia	tr.	4 ft.	4 50		
" fraseri , Mountain Magnolia	tr.	2 to 3 ft.	2 00	15 00	
" "	tr.	4 to 6 ft.	4 00	30 00	
" hypoleuca , Pale-leaved Magnolia	tr.	2 to 3 ft.	4 50		
" kobus , Japanese Magnolia	tr.	3 to 4 ft.	3 00		
" "	tr.	5 to 6 ft.	4 50	40 00	
" obovata , Chinese Magnolia	tr.	3 to 4 ft.	2 50		
" " discolor	tr.	2 to 3 ft.	2 50		
" " unicolor	tr.	2 to 3 ft.	2 50		
" " gracilis	tr.	2 ft.	2 50		
" stellata , Starry Magnolia	tr.	2 to 3 ft.	4 50		
Malus . See Pyrus .					
Melia azederach , China Tree	tr.	5 ft.	1 00	5 00	
Mohrodendron carolinum (<i>Halesia tetraptera</i>), Silver Bell	S.	1 to 2 ft.	30	1 75	12 00
" "	tr.	2 to 3 ft.	50	4 00	35 00
Morus rubra , Red Mulberry	tr.	6 to 8 ft.	2 50		
Negundo . See Acer negundo .					
Nyssa sylvatica , Black or Sour Gum	S.	1 ft.	20	1 50	
Ostrya virginiana , Ironwood	tr.	2 to 4 ft.	1 50	12 00	
Oxydendrum arboreum , Sourwood	tr.	2 to 3 ft.	1 25	7 50	
" "	tr.	4 to 5 ft.	2 25	10 00	55 00
Picea canadensis (<i>P. alba</i>), White Spruce	tr.	2 to 3 ft.	1 00	8 00	60 00
" parryana (<i>P. pungens</i>), Rocky Mountain Spruce, Blue	tr.	4 to 5 ft.			
" " Green	tr.	4 to 5 ft.	10 00		
" rubra , Red Spruce	tr.	1 ft.	50	4 00	
Pinus cembra , Swiss Stone Pine	tr.	1 to 1½ ft.	2 50		
" excelsa , Himalayan Pine	tr.	1 ft.	2 00	15 00	
" lambertiana , Sugar Pine	tr.	1 ft.	2 00		
" monticola , Mountain White Pine	tr.	18 in.	2 00		
" murrayana , Tamarack Pine	tr.	1 ft.	2 00		
" ponderosa , Western Yellow Pine	S.	8 in.	40	3 00	
" strobus , White Pine	twice tr.	1 to 1½ ft.	1 00	5 00	25 00
" thunbergi , Thunberg's Pine	S.	1 ft.	40	3 00	
Platanus occidentalis , American Plane	tr.	15 ft.	2 50	20 00	
Podocarpus alpina , Tasmanian Yew	pots	1 ft.	3 00		
" japonica , Japanese Yew	pots	18 in.	3 00		
Populus balsamifera , Balsam Poplar		5 to 8 ft.	1 50	12 00	
" deltoidea , Carolina Poplar or Cottonwood		4 to 5 ft.	1 00	6 00	
" simoni , Chinese Poplar		5 to 7 ft.	1 00	6 00	
" "		8 to 9 ft.	1 25	7 50	
Prunus avium , Crab Cherry or Gean		5 ft.	1 00		
" padus , Bird Cherry	tr.	3 to 5 ft.	1 00	7 50	
" "	tr.	6 to 8 ft.	1 50	12 00	
" pennsylvanica , Wild Red Cherry	tr.	6 ft.	1 00	8 00	
" serotina , Wild Black Cherry	S.	1 to 2 ft.	25	1 75	
" "	tr.	3 to 4 ft.	1 00	7 50	

TREES, continued.

		Per 10	100	1,000
<i>Pseudotsuga mucronata</i> (<i>Abies douglasii</i>), Douglas' Spruce tr.	2 to 3 ft.	\$3 00		
<i>Pyrus angustifolia</i> , Crab Apple S.		1 00	\$7 50	
“ <i>betulifolia</i> , Birch-leaved Pear tr.	1 ft.	1 25		
“ “ tr.	4 ft.	3 00		
“ <i>coronaria</i> , Sweet-scented Crab tr.	1 to 2 ft.	1 25	10 00	
<i>Quercus alba</i> , White Oak S.			1 00	\$4 00
“ <i>coccinea</i> , Scarlet Oak S.			1 00	4 00
“ <i>digitata</i> (<i>Q. falcata</i>), Spanish Oak S.			1 25	5 00
“ <i>macrocarpa</i> , Mossy-cup Oak S.			1 50	
“ <i>minor</i> (<i>Q. stellata</i>), Post Oak S.			1 25	5 00
“ <i>platanoidea</i> (<i>Q. bicolor</i>), Swamp White Oak S.			1 00	
“ <i>prinus</i> , Chestnut Oak S.			1 00	4 00
“ <i>rubra</i> , Red Oak S.			1 00	4 00
“ <i>texana</i> , Texan Red Oak S.			1 00	4 00
“ <i>velutina</i> (<i>Q. tinctoria</i>), Black Oak S.			1 25	4 50
Rhododendron. See Shrubs.				
<i>Taxus baccata</i> , English Yew twice tr.	1 to 2 ft.	2 00		
“ “ “ “ twice tr.	2 to 4 ft.	3 00		
“ “ “ “ Named varieties twice tr.	1 to 2 ft.	2 50		
“ “ “ “ “ “ twice tr.	2 to 4 ft.	4 00		
<i>Thuja gigantea</i> , Western Arbor Vitæ twice tr.	2 ft.	2 00		
“ <i>occidentalis</i> , American Arbor Vitæ twice tr.	3 to 5 ft.	1 50	12 00	
“ “ <i>albo-variegata</i> twice tr.	3 to 4 ft.	2 50		
“ “ <i>aurea-variegata</i> twice tr.	3 to 4 ft.	2 50		
“ “ <i>bodmeri</i> twice tr.	4 ft.	2 50		
“ “ <i>fastigiata</i> (<i>T. pyrami-</i>				
“ “ <i>dalis</i>) twice tr.	6 ft.	2 75		
“ “ <i>filicoides</i> twice tr.	3 ft.	2 50		
“ “ <i>globosa</i> twice tr.	2 ft.	2 00		
“ “ <i>lutea</i> twice tr.	3½ ft.	2 50		
“ “ <i>tatarica</i> twice tr.	5 ft.	2 75		
“ <i>orientalis</i> twice tr.	2 to 2½ ft.	1 50		
“ “ <i>compacta</i> twice tr.	2 to 3 ft.	2 50		
“ “ “ twice tr.	4 to 5 ft.	4 00		
“ “ <i>densa glauca</i> twice tr.	1½ to 2 ft.	2 00		
“ “ <i>pyramidalis</i> twice tr.	2 to 4 ft.	2 50		
<i>Tilia americana</i> , American Linden or Basswood tr.	8 ft.	2 00	15 00	
“ <i>heterophylla</i> , White Basswood S.		35	2 50	
“ “ tr.	6 to 7 ft.	3 00		
<i>Tsuga canadensis</i> , Hemlock twice tr.	1 to 2 ft.	50	3 00	25 00
“ “ twice tr.	2 to 3 ft.	1 00	9 00	80 00
“ “ twice tr.	3 to 4 ft.	1 50	12 50	100 00
<i>Ulmus Americana</i> , American or White Elm . . . tr.	6 to 7 ft.	1 50	12 50	
“ <i>serotina</i> , Late-flowering Elm S.		3 00		
“ “ tr.	2 ft.	6 00		
<i>Xanthoxylum Americanum</i> , Prickly Ash . . . tr.	1 to 2 ft.	75		

SHRUBS.

"C" signifies rooted cuttings in nursery rows; "S" signifies seedlings not transplanted; "tr." signifies stock has been transplanted.

		Per to	100	1,000
Abelia chinensis (<i>A. rupestris</i>), Chinese Abelia . pots	1 ft.	\$1 00	\$7 50	\$50 00
" triflora, Three-flowered Abelia tr.	1 to 3 ft.	1 00	7 50	
Adelia acuminata (<i>Forestiera acuminata</i>), Pointed-leaved Adelia tr.	2 to 3 ft.	50	4 00	30 00
" ligustrina (<i>Forestiera ligustrina</i>), Privet-leaved Adelia tr.	2 to 2½ ft.	50	4 00	
Althæa. See Hibiscus.				
Amorpha fruticosa , False Indigo tr.	1 to 2 ft.	35	3 00	25 00
" herbacea, Dwarf Indigo tr.	2 ft.	1 00		
" virgata, Mountain Indigo tr.	2 to 3 ft.	35	3 00	25 00
Andromeda japonica. See Pieris japonica.				
" ligustrina. See Xolisma ligustrina.				
" nitida. See Pieris nitida.				
" polifolia, Wild Rosemary tr.	1 ft.	1 00		
Aralia chinensis , Hercules' Club tr.	2 to 4 ft.	2 00		
" spinosa tr.	3 to 4 ft.	1 75		
Arctostaphylos uva-ursi , Bearberry tr.	1 ft.	1 00	7 50	
Aronia arbutifolia (<i>Pyrus arbutifolia</i>), Choke Berry . tr.	3 ft.	75	4 00	
" nigra (<i>Pyrus nigra</i>), Black Choke Berry . . tr.	1 ft.	75	4 00	
Asimina triloba , Papaw tr.	1 to 2 ft.	1 00		
" " tr.	3 to 4 ft.	1 50		
Azalea arborescens , Tree Azalea tr.	6 in.	75	4 00	30 00
" " tr.	1 ft.	1 00	5 00	40 00
" " tr.	1½ to 2 ft.	1 50		
" nudiflora, Pinkster-flower tr.	1 ft.	1 25		
" viscosa, Swamp Pink or Honeysuckle . . . tr.	6 to 12 in.	75	4 00	
Baccharis glomerulifolia , Groundsel-tree or -bush . tr.	3 to 4 ft.	1 00	7 50	
" halimifolia C.	8 in.	35	2 50	18 75
Benzoin benzoin (<i>Lindera benzoin</i>), Spice-bush . tr.	1 to 1½ ft.	50	3 00	
Berberis aquifolium , Mahonia tr.	2 ft.	1 25	10 00	
" asiatica, Asiatic Barberry tr.	2 ft.	1 00	7 50	
" congestiflora, Chilean Barberry tr.	2 to 3 ft.	1 50	12 00	
" cretica, Cretan Barberry tr.	1 ft.	1 00		
" ilicifolia, Holly-leaved Barberry tr.	2 ft.	2 50		
" nepalensis, Nepaulese Mahonia tr.	1 ft.	1 00	7 50	
" newberti (<i>B. aquifolium</i> × <i>vulgaris</i>), Hybrid Barberry tr.	3 ft.	1 00		
" repens, Trailing Mahonia tr.	6 to 12 in.	1 00	7 50	
" sanguinolenta, Scarlet Barberry tr.	3 ft.	1 00		
" sinensis, Chinese Barberry tr.	2 ft.	1 00		
" thunbergi, Japanese or Thunberg's Barberry C.		25	2 00	10 00
" wallichiana, Himalayan Barberry tr.	1 ft.	1 00		
Buckleya distichophylla , Buckleya (in pots with <i>Tsuga canadensis</i>)	2 to 3 ft.	5 00		
Buddleia intermedia (<i>B. curviflora</i> × <i>lindleyana</i>), Hybrid Buddleia tr.	3 ft.	1 00	7 50	
" japonica, Japanese Buddleia tr.	2 to 3 ft.	1 00	7 50	
" lindleyana, Chinese Buddleia tr.	4 to 5 ft.	1 00		

SHRUBS, continued.

		Per 10	100	1,000
Bumelia lycioides , Buckthorn tr.	8 in.	\$1 00		
Butneria fertilis (<i>Calycanthus lœvigatus</i>), Smooth Strawberry-shrub tr.	1 to 2 ft.	1 00	\$7 00	
Buxus sempervirens , Box-tree twice tr.	2 to 3 ft.	3 50	30 00	
“ “ Large specimen plants, . . . \$3 to \$5 each . twice tr.	4 to 6 ft.			
“ “ <i>angustifolia</i> , Narrow-leaved Box-tree . . . twice tr.	2 ft.	3 50		
“ “ <i>arborescens</i> , Tall Box-tree . . twice tr.	2 to 3 ft.	3 50		
“ “ “ . . . twice tr.	3 to 4 ft.	4 50		
“ “ <i>handsworthi</i> , Handsworth's Box-tree . . twice tr.	2 ft.	3 50		
“ “ <i>navicularis</i> twice tr.	3 to 4 ft.	4 50		
“ “ <i>pyramidalis</i> twice tr.	4 ft.	4 50		
“ “ <i>salicifolia</i> , Willow-leaved Box-tree . . . twice tr.	3 ft.	4 00		
“ “ <i>suffruticosa</i> , Dwarf Box-tree twice tr.	1 ft.	2 00	15 00	
Calamintha caroliniana . See Clinopodium carolinianum .				
Callicarpa americana , French Mulberry tr.	2 to 3 ft.	1 00	7 50	
“ <i>japonica</i> , Narrow-leaved Callicarpa . . tr.	1 ft.	75	5 00	
“ “ tr.	2 ft.	1 00	7 50	
“ <i>purpurea</i> , Purple-fruited Callicarpa . . tr.	2 ft.	1 00	6 50	\$40 00
Calluna vulgaris , Scotch Heather tr.	1 to 2 ft.	1 00	7 50	50 00
“ “ White- or Red-flowered Forms . . tr.	1 to 2 ft.	1 00	7 50	
Calycanthus lœvigata and <i>glauca</i> . See Butneria fertilis .				
Caragana arborescens (<i>C. redowski</i>), Siberian Pea-tree tr.	2 to 3 ft.	1 00	7 50	
“ <i>chamlagu</i> , Chinese Caragana tr.	3 ft.	1 50	10 00	
“ <i>frutescens</i> , Shrubby Caragana tr.	2½ ft.	1 00	7 50	
Caryopteris mastacanthus , Chinese Beardwort . tr.	2 ft.	1 00		
Cassandra calyculata . See Chamædaphne calyculata .				
Cephalanthus occidentalis , Button-bush C.		35	2 50	
“ “ tr.	1 ft.	1 00	7 50	
Cerasus . See Prunus .				
Chamædaphne calyculata (<i>Cassandra calyculata</i>), Leather-leaf tr.	18 in.	1 00	7 00	
Chionanthus virginica , Fringe-tree tr.	1 to 2 ft.	75		
Cistus ladaniferus , Gum Cistus, or Sweet Holly-rose.tr.	2 ft.	1 00	7 50	
Clethra alnifolia , Sweet Pepper-bush tr.	2 ft.	75	5 00	
Cliftonia monophylla (<i>C. ligustrina</i>), Titi, or Ironwood tr.	3 ft.	1 00	6 00	
Clinopodium carolinianum (<i>Calamintha caroliniana</i>), Large-flowered Thyme tr.	1 to 2 ft.	2 50		
Colutea arborescens , Bladder Senna tr.	3 to 4 ft.	1 00	7 00	
“ <i>cruenta</i> , Oriental Bladder Senna tr.	2 ft.	1 00		
Cornus alternifolia , Alternate-leaved Dogwood . . . S.		30	1 25	
“ “ tr.	2 to 3 ft.	75	6 00	
“ “ tr.	1 to 2 ft.	60	5 00	
“ <i>amomum</i> (<i>C. sericea</i>), Silky Dogwood . . . S.	1 ft.	25	2 00	15 00
“ “ tr.	3 ft.	75	4 00	32 50
“ <i>officinalis</i> , East-Asiatic Dogwood tr.	2 ft.	1 50		
“ <i>stricta</i> , Stiff Dogwood tr.	1 to 2 ft.	75	5 00	
Coronilla emerus , Scorpion Senna tr.	2 ft.	1 00	8 00	

SHRUBS, continued.

		Per 10	100	1,000
Cotoneaster	bacillaris , Staff-like Rose Box tr.	6 ft.	\$1 00	\$8 50
"	buxifolia (<i>C. hookeriana</i>), Box-leaved Cotoneaster tr.	3 ft.	1 00	7 50
"	frigida , Mountain Cotoneaster tr.	4 ft.	1 00	7 50
"	microphylla , Nepaulese Cotoneaster . tr.	1½ to 2 ft.	1 00	7 50
"	multiflora , Chinese Cotoneaster . . tr.	1 to 2½ ft.	1 00	7 50
"	rotundifolia , Himalayan Cotoneaster . tr.	2 ft.	1 00	7 50
"	simonsi (<i>C. acutifolia</i>), Shining-leaved Rose Box tr.	1 to 2 ft.	1 00	7 50
Crataegus	collina , Hillside Thorn S.	6 to 12 in.	25	1 50
"	crus-galli , Cockspur Thorn S.	6 to 12 in.	25	1 50
"	cordata , Washington Thorn S.	12 to 18 in.	25	1 50
"	elliptica , Oval-leaved Hawthorn . . . tr.	2 ft.	1 00	
"	flava , Yellow Haw S.	6 to 12 in.	25	1 50
"	" tr.	2 ft.	1 00	10 00
"	grandulosa , Glandular Thorn S.	6 to 12 in.	25	1 50
"	punctata , Large-fruited Thorn S.	8 to 12 in.	25	1 50
"	" tr.	1 to 2 ft.	50	4 00
"	spatulata , Small-fruited Haw S.	4 to 6 in.	25	1 50
"	tomentosa , Pear Haw S.	6 to 12 in.	25	1 50
"	" tr.	2 to 3 ft.	1 00	
"	uniflora , Dwarf Haw S.	6 to 12 in.	25	1 50
"	vailiæ , Vail's Haw tr.	2 ft.	1 00	10 00
Cydonia.	See Pyrus .			
Cyrilla	racemiflora , Southern Leatherwood . . . tr.	2 ft.	1 00	
Cytisus	hirsutus , Hairy Cytisus tr.	1 to 3 ft.	1 00	
Daphne	cnearum , Garland Flower tr.	1 ft.	2 50	
Dendrium	buxifolium (<i>Leiophyllum buxifolium</i>), Sand Myrtle tr.	10 to 15 in.	75	5 00
Deutzia	crenata , Rough-leaved Deutzia tr.	18 in.	75	2 50
"	" candidissima tr.	18 in.	75	5 00
"	" flore roseo-plena C.	8 to 10 in.	25	2 00
"	gracilis , Slender Deutzia tr.	1 to 1½ ft.	75	2 50
Diervilla	diervilla (<i>D. trifida</i>), Bush Honeysuckle . tr.	2 ft.	1 00	
"	japonica variegata , Variegated Diervilla . tr.	5 ft.	1 00	
"	rivularis , Gattinger's Bush Honeysuckle . tr.	1 to 2 ft.	1 00	8 00
"	sessilifolia , High Bush Honeysuckle . . tr.	1 to 2 ft.	50	3 00
"	" tr.	2 to 3 ft.	75	4 00
Elæagnus	longipes , Silver Thorn S.	6 in.	25	2 00
Erica	tetralix , Cross-leaved Heath pots	4 ft.	1 00	7 50
"	vagans , Cornish Heath pots	8 in.	1 00	7 50
Escallonia	philippiana , Philippi's Escallonia . . . tr.	3 to 4 ft.	1 00	
Euonymus	alatus , Burning Bush tr.	4 ft.	1 50	
"	americanus , Strawberry Bush tr.	1 ft.	50	4 00
"	angustifolius , Narrow-leaved Strawberry Bush tr.	1 to 2 ft.	50	
"	bungeanus , Bunge's Spindle-tree . . . tr.	1 ft.	50	
"	hamiltonianus , Hamilton's Spindle-tree . tr.	2 ft.	50	4 00
"	obovatus , Running Strawberry Bush . . tr.	1 ft.	50	4 00
"	radicans , Climbing Euonymus tr.	3 ft.	1 00	
"	sieboldianus , Siebold's Spindle-tree . . tr.	3 to 5 ft.	1 25	10 00
Forestiera.	See Adelia .			
Forsythia	suspensa , Golden Bell tr.	4 to 5 ft.	1 00	5 00
"	fortunei , Fortune's Forsythia tr.	8 ft.	1 00	8 50
"	viridissima , Dark-green Forsythia . . tr.	3 ft.	50	2 50
Gardenia	florida , Cape Jessamine tr.	1 ft.	1 00	7 50
Gaylussacia	dumosa , Dwarf Huckleberry tr.	1 ft.	1 00	7 50
"	frondosa , Tangle- or Dangle-berry . . tr.	18 in.	75	5 00
"	resinosa , High-bush Huckleberry . . tr.	8 in.	75	5 00

SHRUBS, continued.

		Per 10	100	1,000
Genista germanica , German Genista tr.	1 ft.	\$1 00		
“ præcox , Early Genista tr.	2 to 3 ft.	1 00		
“ tinctoria , Dyer's Whin tr.	2 ft.	1 00		
Grevillea rosmarinifolia , Rosemary Grevillea. tr.	1 ft.	1 00	\$7 50	
Hamamelis virginiana , Witch Hazel S.	1 to 2 ft.	50	4 00	
Hibiscus moscheutos , Mallow Rose S.	6 to 12 in.	25	2 00	\$17 50
“ syriacus amplissimus , Rose of Sharon or Althæa S.	4 ft.	1 00		
“ “ ardens S.	4 ft.	1 00		
“ “ atrorubens S.	4 ft.	1 00		
“ “ bicolor pl. S.	4 ft.	1 00		
“ “ carnea pl. S.	4 ft.	1 00		
“ “ fastuosus S.	4 ft.	1 00		
“ “ monstrosus S.	4 ft.	1 00		
“ “ pompon pourpre S.	4 ft.	1 00		
“ “ “ rouge S.	4 ft.	1 00		
“ “ purpurascens pl. S.	4 ft.	1 00		
“ “ purpureus novus S.	4 ft.	1 00		
“ “ semi-plenus S.	4 ft.	1 00		
“ “ violaceus S.	4 ft.	1 00		

We offer a more extensive list of varieties, our own assortment, fine plants, at the same price.

Holodiscus arizæfolius (<i>Spiræa arizæfolia</i>) tr.	4 ft.	1 25		
“ discolor (<i>Spiræa discolor</i>) tr.	3 ft.	1 25		
Hydrangea arborescens , Wild Hydrangea tr.	3 ft.	75	4 00	30 00
“ hortensis belzoni , Garden Hydrangea, field-grown, 3 yrs.		1 50		
“ “ fimbriata field-grown, 3 yrs.		1 50		
“ “ nivea field-grown, 3 yrs.		1 50		
“ “ Imperatrice Eugenie . . . field-grown, 3 yrs.		1 50		
“ “ japonica field-grown, 3 yrs.		1 50		
“ “ “ alba field-grown, 3 yrs.		1 50		
“ “ “ rubra field-grown, 3 yrs.		1 50		

We offer a more extensive list of varieties, our own assortment, fine plants, at the same price.

Hydrangea paniculata , Panicked Hydrangea tr.	3 to 4 ft.	1 00	7 50	
“ “ grandiflora , Large-flowered Hydrangea tr.	3 ft.	1 00	7 50	
“ quercifolia , Oak-leaved Hydrangea . . C.		50	3 50	
“ “ tr.	3 ft.	1 00	7 50	
“ radiata , Downy Hydrangea C.		50	3 50	
“ “ tr.	3 ft.	75	5 00	35 00
Hypericum aureum , Large-flowered St. John's-wort. tr.	1½ to 3 ft.	1 50	12 50	
“ buckleyi , Buckley's St. John's-wort . . . tr.	6 in.	1 50		
“ calycinum , Aaron's Beard tr.	1 ft.	25	2 00	15 00
“ densiflorum , Dense-fl'd St. John's-wort. tr.	18 in.	75	4 50	30 00
“ kalmianum , Kalm's St. John's-wort . . tr.	2 ft.	1 50		
“ lobocarpum , Gattinger's St. John's-wort. tr.	3 ft.	1 50	12 50	
“ moserianum , Hybrid St. John's-wort . . tr.	18 in.	50	3 00	25 00
“ nudiflorum , Naked-fl'd St. John's-wort. tr.	2 ft.	1 00	7 50	50 00
“ prolificum , Shrubby St. John's-wort . . tr.	1½ to 2 ft.	75	4 50	30 00
“ sphærocarpum , Round-podded St. John's-wort tr.	2 ft.	1 00		
Ilex aquifolium , English Holly tr.	1 ft.	1 00		
“ cornuta , Chinese Holly tr.	2 ft.	2 00		
“ crenata , Japanese Holly tr.	1 to 2 ft.	1 00		
“ decidua , Swamp Holly tr.	1 to 2 ft.	1 00	7 50	
“ lævigata , Smooth Winterberry tr.	2 to 3 ft.	1 00	8 00	
“ monticola , Large-leaved Holly S.	6 to 12 in.	25		

SHRUBS, continued.

		Per 10	100	1,000
<i>Ilex opaca</i> , American Holly S.	6 to 12 in.	\$0 25	\$2 00	
" " Yellow-fruited form S.		1 00	7 50	
" " tr.	1 to 2 ft.	2 00	15 00	\$100 00
" <i>verticillata</i> , Black Alder tr.	1 to 2 ft.	75	5 00	45 00
" <i>vomitaria</i> , Cassena or Yaupon tr.	2 to 3 ft.	1 00	7 50	
<i>Illicioides mucronata</i> (<i>Nemopanthes fascicularis</i>), Wild or Mountain Holly S.	6 in.	25	1 50	12 00
<i>Itea virginica</i> , Virginia Willow tr.	1 to 2 ft.	60	4 00	35 00
<i>Jasminum humile</i> (<i>J. reevesi</i>), Yellow Italian Jas- mine tr.	3 ft.	1 00		
" <i>nudiflorum</i> , Naked-flowered Jasmine . . tr.	2 ft.	75	4 00	25 00
" <i>officinalis</i> , Common White Jasmine . . tr.	3 ft.	1 00		
<i>Juniperus chinensis</i> , Chinese Juniper twice tr.	1 to 2 ft.	2 50		
" <i>communis</i> , Common Juniper twice tr.	1 to 2 ft.	1 25	10 00	
" " form from China twice tr.	4 ft.	2 50		
" " <i>alpina</i> , Prostrate Juni- per C.	6 in.	50	4 00	30 00
" " " twice tr.	12 to 18 in.	1 00	8 50	
" " <i>hibernica</i> , Irish Juniper. twice tr.	2 to 3 ft.	1 60	14 00	
" " " twice tr.	5 to 6 ft.	2 50		
" " <i>suecica</i> , Swedish Juni- per twice tr.	2 to 3 ft.	1 60	14 00	
" <i>macrocarpa</i> , Large-fruited Juniper. twice tr.	2 ft.	2 50		
" <i>recurva densa</i> twice tr.	2 ft.	2 50		
" <i>sabina</i> , Savin Juniper C.	6 to 8 in.	50	4 00	35 00
" " twice tr.	1 to 2 ft.	1 50	10 00	
" <i>prostrata</i> twice tr.	1 ft.	1 50		
" <i>scopulorum</i> , Rocky Mountain Cedar. twice tr.	4 ft.	4 50		
" <i>sphærica</i> , Globular-fruited Juniper. twice tr.	2 to 3 ft.	4 00		
" " <i>glauca</i> twice tr.	2 ft.	4 00		
<i>Kalmia cuneata</i> , Deciduous Laurel tr.	3 ft.	5 00		
" <i>glauca</i> , Swamp Laurel tr.	2 ft.	1 25		
" <i>latifolia</i> , Mountain Laurel tr.	12 to 18 in.	1 50	12 50	
<i>Kolreuteria paniculata</i> tr.	2 to 3 ft.	50	4 00	
" " tr.	4 to 7 ft.	75	6 00	
Laurocerasus. See Prunus.				
Leleophyllum. See Dendrium.				
<i>Lepargyrea canadensis</i> (<i>Shepherdia canadensis</i>), Buffalo-berry tr.	18 in.	1 00		
<i>Lespedeza sieboldi</i> (<i>L. bicolor Hort.</i>). Siebold's Lespedeza tr.	2 to 3 ft.	1 00	7 50	
<i>Leucothoe acuminata</i> , Titi or Pipewood tr.	2½ ft.	1 00	7 50	
" <i>catesbæi</i> , Catesby's Leucothoe pots	12 to 18 in.	50	4 00	25 00
" <i>racemosa</i> , Swamp Leucothoe pots	10 to 12 in.	50	4 00	25 00
" " tr.	12 to 18 in.	75	5 00	40 00
<i>Ligustrum ibota</i> (<i>L. amurense</i>), Amoor Privet . . tr.	12 to 15 in.	25	1 75	
" " tr.	2 ft.	50	2 00	15 00
" " tr.	4 ft.	60	2 50	
" <i>japonicum</i> , Japanese Privet tr.	2 ft.	60	5 00	
" <i>lucidum</i> , Shining-leaved Privet tr.	3 ft.	60	5 00	
" <i>media</i> S.	6 in.	25	2 00	
" <i>ovalifolium</i> , California Privet tr.	18 to 24 in.	50	2 00	15 00
" <i>quihoui</i> tr.	3 ft.	1 00	4 00	30 00
" <i>regelianum</i> S.	1 ft.	1 00		
" <i>sinense</i> , Chinese Privet tr.	2 to 3 ft.	50	2 00	15 00
" " tr.	4 ft.	60	2 50	20 00
Lindera. See Benzoin.				
<i>Lonicera dioica</i> (<i>L. parviflorum</i>), Smooth-leaved Honeysuckle tr.	3 ft.	1 00	7 50	

SHRUBS, continued.

			Per 10	100	1,000
Lonicera fragrantissima , Bush Honeysuckle . . . tr.	2 to 3 ft.		\$0 75	\$4 00	\$30 00
“ involucrata , Involucrated Fly-Honeysuckle. tr.	4 to 6 ft.		1 00	7 50	
“ orientalis , Oriental Honeysuckle tr.	1 ft.		75	5 00	
“ xylosteum , Fly-Honeysuckle tr.	2 ft.		50	3 00	
Malapœna geniculata (<i>Tetranthera geniculata</i>), Pond Spice tr.	2 to 3 ft.		5 00		
Myricaria germanica , German Tamarisk tr.	3 ft.		1 00		
Nandina domestica , Garden Nandina tr.	3 ft.		2 50		
Nemopanthes . See <i>Illicioides</i> .					
Neviusa alabamensis tr.	2 to 2½ ft.		1 00	7 50	
“ “ tr.	1 ft.		75	5 00	
Opulaster opulifolius (<i>Neillia</i> , or <i>Spiræa opulifolia</i>), Nine Bark C.	6 to 12 in.		25	1 50	12 00
“ “ tr.	3 ft.		75	5 00	35 00
Orixa japonica tr.	2 ft.		1 00		
Pachystima myrsinites tr.	1 ft.		1 00		
Pæonia moutan , Tree Pæonia. From an assort- ment of named varieties we offer fine plants, our selection tr.	1 to 2 ft.		4 00	35 00	
Parrotia persica , Persian Iron-tree tr.	3 ft.		1 00		
Phellodendron amurense S.	6 in.		50		
Philadelphus gordonianus , Gordon's Syringa . . tr.	3 to 4 ft.		1 00		
“ grandiflorus , Large-flowered Syringa. C.			25	2 00	15 00
“ “ tr.	2 to 3 ft.		50	4 00	
“ hirsutus , Hairy Syringa C.			25	2 00	
“ “ tr.	3 ft.		50	4 00	
“ inodorus , Scentless Syringa C.			25	2 00	
“ “ tr.	2 to 3 ft.		50	4 00	
“ latifolius , Broad-leaved Syringa . . tr.	1 to 2 ft.		50	4 00	
“ “ tr.	3 ft.		1 00		
Phillyrea angustifolia tr.	2½ ft.		1 00	5 00	40 00
“ vilmoriana tr.	2 ft.		1 00	7 50	
Photinia serrulata S.	2 ft.		75		
Pieris japonica (<i>Andromeda japonica</i>), Japanese Andromeda tr.	2 ft.		2 00		
“ nitida (<i>Andromeda nitida</i>), Fetter-bush. pots or tr.	1 ft.		1 50	10 00	
Potentilla fruticosa , Shrubby Cinquefoil . . . tr.	1 to 2 ft.		75		
Prunus cuneatus , Apalachian Cherry tr.	2 to 3 ft.		1 00		
“ emarginata , Western Wild Cherry . . . tr.	1 to 2 ft.		1 00		
“ laurocerasus , English Laurel tr.	3 to 4 ft.		1 50		
“ maritima , Beach Plum tr.	2½ ft.		1 00		
“ mume tr.	4 ft.		1 00		
“ pumila , Sand Cherry tr.			1 00		
“ virginiana , Choke Cherry tr.	4 to 6 ft.		75		
Ptelea angustifolia , Narrow-leaved Hop-tree . . tr.	2 ft.		1 00		
“ mollis , Downy Hop-tree tr.	4 ft.		1 00		
Pyrus arbutifolia . See <i>Aronia arbutifolia</i> .					
“ japonica (<i>Cydonia japonica</i>), Japanese Quince. tr.	1 ft.		50		
“ nigra . See <i>Aronia nigra</i> .					
“ sinensis , Chinese Pear tr.	3 ft.		1 00		
“ spectabilis , Chinese Flowering Crab . . . tr.	4 to 5 ft.		1 00		
Rhamnus caroliniana , Carolina Buckthorn . . . tr.	4 to 5 ft.		1 00		
“ frangula , Alder Buckthorn S.	10 in.		75	5 00	
“ japonica , Japanese Buckthorn S.	1 ft.		75		
“ purshiana , Coffee Tree tr.	3 to 4 ft.		1 00		
Rhododendron catawbiense tr.	2 to 3 ft.		2 50	20 00	
“ “ tr.	3 to 4 ft.		3 00	25 00	
“ maximum tr.	2 to 3 ft.		2 50	20 00	
Rhodotypus kerrioides , White Kerria C.			35	2 00	12 00

SHRUBS, continued.

			Per 10	100	1,000
Rhus	aromatica (<i>R. canadensis</i>), Sweet-scented Sumac tr.	1 to 3 ft.	\$1 00		
"	copallina , Upland Sumac tr.	3 ft.	75	\$5 00	
"	glabra , Smooth Sumac tr.	3 ft.	75	5 00	
"	hirta , Staghorn Sumac tr.	3 to 5 ft.	75	5 00	
"	microauxi , Dwarf Sumac tr.	1 to 2 ft.	5 00		
"	succedanea , Asiatic Sumac tr.	3 ft.	1 00		
"	toxicoendron , Poison Oak tr.	1 ft.	50	4 00	
"	vernificera , Varnish Tree tr.	1 ft.	50		
"	" tr.	5 to 6 ft.	1 00		
Ribes	aureum , Flowering or Missouri Currant tr.	2 ft.	75	5 00	
"	curvatum , Small's Gooseberry tr.	2 ft.	2 50		
"	lacustre , Swamp Gooseberry tr.	3 ft.	2 50		
"	prostratum , Fetid Currant tr.	2 ft.	1 00		
"	sanguineum , Scarlet-flowering Currant . . . tr.	3 ft.	1 00		
Rosa	acicularis , Prickly Rose tr.	1 ft.	1 00		
"	arkansana , Arkansas Rose tr.	1 ft.	1 00		
"	blanda , Meadow Rose tr.	2 to 3 ft.	1 00	6 50	
"	californica , California Wild Rose tr.	1 ft.	1 00		
"	carolina , Swamp Rose tr.	2 ft.	50	4 00	\$30 00
"	humilis , Low or Pasture Rose tr.	1 ft.	50	4 00	30 00
"	lævigata , Cherokee Rose tr.	3 ft.	1 00		
"	multiflora , Japanese Climbing Rose tr.	1 ft.	35	2 50	15 00
"	repens , European Field Rose S.		35	2 50	
"	" tr.	2 to 3 ft.	1 00		
"	rugosa C.		50	4 00	
"	setigera , Prairie Rose C.		25	2 60	15 00
"	" tr.	3 ft.	75	5 00	40 00
"	tomentosa S.	1 ft.	1 00		
"	wichuraiana , Chinese Trailing Rose C.	6 in.	50	3 00	20 00
"	" tr.	1 to 3 ft.	1 00	4 00	27 50
Rubus	crataegifolius , Hawthorn-leaved Raspberry . tr.	3 to 4 ft.	1 00	7 50	
"	hispidus , Running Swamp Blackberry . . . tr.	2 to 3 ft.	50	3 00	
"	leucodermis , Western Raspberry tr.	3 ft.	1 00		
"	millspaughii , Millspaugh's Blackberry . . tr.	3 to 4 ft.	1 00		
"	strigosus , Wild Red Raspberry tr.	3 ft.	75	5 00	
Salix	discolor , Glaucous Willow tr.	3 ft.	1 00		
"	fluviatilis , Sandbar Willow tr.	3 ft.	1 00		
"	irrorata , Colorado Blue Willow tr.	3 ft.	1 00		
"	sericea , Silky Willow tr.	3 ft.	50	3 00	20 00
"	weigelia , Weigel's Dwarf Willow tr.	1 ft.	1 00		
Sassafras	sassafras (<i>Sassafras officinale</i>), Sassafras . tr.	1 to 2 ft.	1 00		
Securinega	ramiflora tr.	3 to 4 ft.	1 00	7 50	
Shepherdia	canadensis . See <i>Lepargyrea</i> .				
Spartium	juncifolium , Spanish Broom tr.	3 ft.	1 00	7 50	
Spiraea	arguta tr.	2 to 3 ft.	1 00	5 00	
"	" tr.	4 ft.	1 50		
"	arguta . See <i>Holodiscus</i> .				
"	bella (<i>S. hookeri</i>) tr.	3 to 4 ft.	1 00		
"	betulifolia tr.	1 to 2 ft.	1 00	5 00	
"	canescens (<i>S. flagelliformis</i>) tr.	3 to 4 ft.	1 00		
"	decumbens tr.	2 ft.	1 00		
"	douglasii C.		25	2 00	
"	" tr.	2 to 4 ft.	75	5 00	
"	hypericifolia (<i>S. thalictroides</i>) tr.	3 ft.	1 00		
"	japonica C.		25	2 00	15 00
"	" tr.	2 to 2½ ft.	1 00	5 00	40 00
"	" bumalda tr.	3 ft.	1 00	5 00	40 00
"	" macrophylla tr.	3 to 4 ft.	1 00	5 00	40 00

SHRUBS, continued.

		Per 10	100	1,000
<i>Spiræa margaritæ</i>	tr.	3 ft.	\$1 00	\$5 00
" <i>nicoudierti</i>	tr.	2 ft.	1 00	
" <i>notha</i>	tr.	2 ft.	1 00	
" <i>opulifolia</i> . See <i>Opulaster</i> .				
" <i>salicifolia</i> , Meadow-sweet	tr.	2 to 3 ft.	35	2 50 \$20 00
" <i>thunbergi</i>	C.		25	2 00 18 00
"	tr.	1 to 1½ ft.	1 00	4 00 35 00
" <i>tomentosa</i> , Hardhack, or Steeple-bush	C.		25	1 25 10 00
<i>Staphylea bumalda</i> , Japanese Bladder-nut	tr.	2 ft.	1 00	
" <i>trifolia</i> , Bladder-nut	tr.	1 to 3 ft.	50	4 00
<i>Stephanandra flexuosa</i>	tr.	1 ft.	75	5 00 40 00
<i>Stuartia monadelphæ</i>	tr.	3 ft.	1 00	
" <i>pentagyna</i> , Allegheny Mountain <i>Stuartia</i>	tr.	1 ft.	1 00	7 50
<i>Styrax americana</i> , <i>Styrax</i>	C.		50	4 00
"	tr.	4 ft.	1 50	
" <i>hispida</i>	C.		50	4 00
" "	tr.	3 ft.	1 50	
" <i>japonica</i>	C.		50	4 00
" "	tr.	4 ft.	1 50	
" <i>obassia</i>	tr.	2 to 5 ft.	1 50	
<i>Symphoricarpos symphoricarpos</i> (<i>S. vulgaris</i>), Coral-berry	C.	8 in.	25	2 00 12 00
<i>Syringa Chinensis</i> , Chinese Lilac	tr.	4 ft.	1 00	7 50
" <i>emodi</i>	tr.	1 to 2 ft.	1 00	7 50
" <i>villosa</i>	tr.	1 to 2 ft.	1 00	7 50
" <i>vulgaris</i> , Common Lilac	tr.	1 to 2 ft.	50	4 00 35 00
" " <i>alba</i>	tr.	1 to 2 ft.	1 00	
" " "	tr.	3 to 4 ft.	1 25	
" " <i>Albert the Good</i>	tr.	1 to 2 ft.	1 00	
" " "	tr.	2 to 3 ft.	1 25	
" " <i>A. L. Spath</i>	tr.	1 to 2 ft.	1 00	
" " "	tr.	2 to 3 ft.	1 25	
" " <i>amoena</i>	tr.	1 to 2 ft.	1 00	
" " "	tr.	6 to 8 ft.	5 00	
" " <i>amethyst.</i>	tr.	1 to 3 ft.	1 25	
" " <i>Charlemburg</i>	tr.	1 to 2 ft.	1 00	
" " <i>Colmariensis</i>	tr.	1 to 2 ft.	1 00	
" " "	tr.	3 to 4 ft.	1 25	
" " <i>flore pl.</i>	tr.	1 to 2 ft.	1 00	
" " "	tr.	3 to 4 ft.	1 25	
" " <i>Frau Dammann</i>	tr.	1 to 2 ft.	1 00	
" " "	tr.	3 to 4 ft.	1 25	
" " <i>Gaulois flore pl.</i>	tr.	1 to 2 ft.	1 00	
" " "	tr.	3 to 4 ft.	1 25	
" " <i>Gloire de Moulins</i>	tr.	1 to 2 ft.	1 00	
" " "	tr.	2 to 4 ft.	1 25	
<i>Syringa vulgaris grandiflora</i>	tr.	1 to 2 ft.	1 00	
" " <i>James Booth</i>	tr.	1 to 2 ft.	1 00	
" " <i>La Tour d'Auvergne</i>	tr.	1 to 2 ft.	1 00	
" " "	tr.	2 to 3 ft.	1 25	
" " <i>Marie le Cray</i>	tr.	1 to 2 ft.	1 00	
" " "	tr.	2 to 3 ft.	1 25	
" " <i>Mathieu de Dombasle</i>	tr.	1 to 2 ft.	1 00	
" " "	tr.	2 to 3 ft.	1 25	
" " <i>Prince Nottger</i>	tr.	1 to 2 ft.	1 00	
" " "	tr.	2 to 3 ft.	1 25	
" " <i>Princess Alexandra</i>	tr.	1 to 2 ft.	1 00	
" " "	tr.	3 ft.	1 25	

SHRUBS, continued.

				Per 10	100	1,000
Syringa vulgaris	Princesse Camille de Rohan . . . tr.	2 to 3 ft.		\$1 25		
"	Princesse Murat . . . tr.	1 to 2 ft.		1 00		
"	Princesse Marie . . . tr.	1 to 2 ft.		1 00		
"	"	2 to 3 ft.		1 25		
"	Renoncule . . . tr.	1 ft.		1 00		
"	rubra de Marly . . . tr.	1 to 2 ft.		1 00		
"	"	2 to 3 ft.		1 25		
"	Schermerhorni . . . tr.	1 to 2 ft.		1 00		
"	"	2 to 3 ft.		1 25		
"	Schneelavin . . . tr.	1 to 2 ft.		1 00		
"	"	2 to 3 ft.		1 25		
"	Senateur Volland . . . tr.	1 to 2 ft.		1 00		
"	"	2 to 3 ft.		1 25		
"	Steincruysi . . . tr.	2 to 3 ft.		1 25		
"	Tangiers . . . tr.	1 to 2 ft.		1 00		
"	"	6 ft.		5 00		
"	Triomphe d'Orleans . . . tr.	1 to 3 ft.		1 00		
"	Verschaffeldt . . . tr.	1 to 2 ft.		1 00		
"	Vergissmeinnicht . . . tr.	1 to 2 ft.		1 00		
"	Ville d'Imoges . . . tr.	2 to 3 ft.		1 25		
"	violacea . . . tr.	2 to 3 ft.		1 25		
"	volteana . . . tr.	2 to 3 ft.		1 25		
Taxus minor ,	Canadian Yew . . . twice tr.	2 to 3 ft.		1 00		
Tetranthera.	See Malapœenna.					
Ulex nana . . . tr.		1 ft.		1 00		
Vaccinium crassifolium ,	Creeping Huckleberry . . tr.	6 to 12 in.		1 00	\$7 50	
"	hirsutum , Hairy Huckleberry . . . tr.	6 in.		1 50		
"	tenellum , Black Huckleberry . . . tr.	1 ft.		1 50		
Viburnum alnifolium (<i>V. lantanoides</i>),	Hobble-bush . tr.	3 ft.		1 00		
"	dentatum , Arrow-wood . . . C.			75	5 00	\$40 00
"	dilatatum . . . tr.	3 to 5 ft.		2 00		
"	lantana , European Wayfaring Tree . . tr.	2 to 3 ft.		1 00		
"	lentago , Sheepberry . . . tr.	1 ft.		75	5 00	
"	molle , Soft-leaved Arrow-wood . . . tr.	1 ft.		1 00		
"	nudum , Witherod . . . tr.	1 to 3 ft.		1 00		
"	opulus , Highbush Cranberry . . . tr.	1 to 2 ft.		75	5 00	
"	" sterile , Snowball . . . tr.	3 ft.		1 00		
"	" nana , Dwarf Snowball . . . tr.	1 ft.		1 00		
"	prunifolium , Black Haw . . . tr.	1 to 2 ft.		75	5 00	
Vinca major ,	Large Periwinkle . . . tr.			25	1 50	7 50
"	minor , Periwinkle . . . tr.			25	1 50	7 50
Vitex negundo ,	Chaste Tree . . . tr.	5 ft.		1 00		
Xanthorrhiza apiifolia ,	Yellow-root . . . tr.	6 to 12 in.		50	3 00	20 00
Xolisma ligustrina (<i>Andromeda ligustrina</i>).	Privet					
Andromeda . . . tr.		18 to 24 in.		1 00		

VINES.

"C" signifies rooted cuttings in nursery rows; "S" signifies seedlings not transplanted; "tr." signifies stock has been transplanted.

		. Per 10	100	1,000
Akebia quinata, Five-leaved Akebia . . . strong, tr.		\$o 75	\$5 oo	
Ampelopsis heterophylla, Asiatic Creeper	2 to 4 ft.	I oo		
" " variegata	2 to 4 ft.	I oo		
" quinquifolia. See Parthenocissus.				
" veitchii. See Parthenocissus.				
Berchemia racemosa, Asiatic Supple Jack . . twice tr.	4 ft.	I oo	7 50	
" volubilis, Supple Jack twice tr.	4 ft.	I oo	7 50	
Bignonia crucigera (<i>B. capreolata</i>), Cross-vine field-grown		75	5 oo	
" radicans. See Tecoma radicans.				
Brunnichia cirrhosa, Brunnichia S.	2 ft.	I oo		
Cebatha carolina (<i>Cocculus carolinus</i>), Carolina Moonseed tr.		50	4 oo	
Celastrus articulatus, Japanese Staff Vine tr.	I to 2 ft.	I oo	7 50	
Clematis apiifolia, Parsley-leaved Clematis tr.		I oo	7 50	
" montana, Mountain Clematis tr.		I oo		
" vitalba, Traveler's Joy tr.		50		
Cocculus. See Cebatha.				
Decumaria barbara, Decumaria tr.		I oo		
Gelsemium sempervirens, Yellow Jessamine tr.	3 to 4 ft.	75	6 75	
Hedera helix, English Ivy 4-in. pots	2 yrs.	I oo	5 oo	\$3o oo
Kraunhia chinensis (<i>Wistaria chinensis</i>), Chinese Wisteria tr.		I oo	8 oo	
" frutescens (<i>Wistaria frutescens</i>), American Wisteria tr.		50	3 oo	
Lonicera flava, Yellow Honeysuckle tr.		I oo		
" japonica, Japanese Honeysuckle tr.	I to 2 ft.	35	2 oo	16 50
" sempervirens, Trumpet or Coral Honey-suckle C.		50	4 oo	
Parthenocissus quinquifolia (<i>Ampelopsis quinquefolia</i>), Virginia Creeper tr.	I yr.	35	2 oo	10 oo
" tricuspidata (<i>Ampelopsis veitchii</i>), Boston or Japanese Ivy pots	2 yrs.	*50	2 50	22 oo
Periploca græca, Silk Vine, very strong tr.		2 oo	15 oo	
Smilax bona-nox, Bristly Greenbrier tr.	I ft.		I oo	
" " " " " " " " " " " " " "	3 ft.	75		
" glauca, Glaucous-leaved Greenbrier S.	½ to I ft.		I oo	
" " " " " " " " " " " " " "	3 ft.	75	5 oo	
" hispida, Hispid Greenbrier S.	I ft.		I oo	
" " " " " " " " " " " " " "	3 ft.	75	5 oo	
" laurifolia, Laurel-leaved Greenbrier S.			I oo	
" " " " " " " " " " " " " "	3 ft.	75		
Smilax rotundifolia, Catbrier S.			I oo	
" " " " " " " " " " " " " "	3 ft.	75		
Tecoma radicans (<i>Bignonia radicans</i>), Trumpet Flower tr.	3 ft.	75	3 oo	
Vitis æstivalis, Summer Grape S.		50	3 oo	
" " " " " " " " " " " " " "	2 ft.	75	5 oo	
" cordifolia, Frost Grape S.		50	3 oo	
" " " " " " " " " " " " " "	3 ft.	75	5 oo	
" labrusca, Fox Grape S.		50	3 oo	
" " " " " " " " " " " " " "	3 ft.	75	5 oo	
" vulpina, Sweet-scented Grape tr.	4 ft.	75		
Wistaria. See Kraunhia.				

Herbaceous Plants, Grasses and Bamboos.

"C" signifies rooted cuttings in nursery rows; "S" signifies seedlings not transplanted; "tr." signifies stock has been transplanted.

	Per 10	100	1,000
Adiantum pedatum , Maiden-hair Fern field-grown	\$0 50	\$4 00	
Agave virginica , False Aloe field-grown	2 00		
Ajuga reptans , Bugle field-grown	25	2 00	\$15 00
Arundinaria japonica (<i>Bambusa metake</i>), Japanese Cane . . clumps	3 50	30 00	
" macrosperma , Large American Cane clumps	2 75	20 00	
" tecta , Small American Cane clumps	2 75	20 00	
Arundo donax , Great Reed clumps	1 00	7 50	45 00
" " ex.-heavy clumps	2 00	15 00	100 00
Asarum macranthum , Large-flowered Asarum field-grown	50	4 00	
Aster novæ-angliæ , New England Aster	50		
Bamboos. See Bambusa , Arundinaria and Phyllostachys .			
Bambusa palmata , Veiny-leaved Bamboo . . each, 65 cts. . clumps			
" pygmæa , Dwarf Bamboo each, 25 cts. . clumps			
" tessellata , Large-leaved Bamboo . each, 75 cts. . clumps			
Belamcanda. See Gemmingia .			
Bocconia cordata , Japanese Bocconia	I 00		
Carex fraseri , Fraser's Sedge field-grown	I 00		
Cassia marylandica , Wild Senna strong, tr.	50	4 00	
Ceratostigma plumbaginoides (<i>Plumbago larpenæ</i>), Leadwort . .	50	4 00	
Convallaria majalis , Lily of-the-Valley clumps	I 00	7 50	
Coreopsis auriculata , Running Tickseed field-grown	35	3 00	25 00
Elymus glaucus , Smooth Wild Rye	I 00	7 50	
Erythronium americanum , Yellow Adder's Tongue . nursery-grown	50	3 50	
Eulalia. See Miscanthus .			
Gemmingia chinensis (<i>Belamcanda chinensis</i>), Blackberry Lily . .	25	2 00	15 00
Helianthus dowellianus , Dowell's Sunflower	I 00		
Hemerocallis dumortieri , Dwarf Day Lily	I 00	8 00	
" fulva , Day Lily	25	I 50	
" Stronger plants		2 50	
" thunbergii , Late-flowering Day Lily	I 00		
Hepatica acuta (<i>H. acutiloba</i>), Heart Liver-leaf field-grown	25	I 50	
Heuchera villosa , Hairy Heuchera field-grown	I 00		
Hypericum ascyron , Giant St. John's-wort 3 yrs.	75		
Inula helenium , Elecampane	I 00		
Iris cristata , Crested Dwarf Iris field-grown	25	I 50	12 50
" germanica , Fleur-de-lis	35	2 50	
" Stronger plants	50	3 50	
" lævigata (<i>I. kampfieri</i>), Japanese Iris	35	3 00	20 00
" Stronger plants		5 00	40 00
" missouriensis , Western Blue Flag	I 00		
" siberica , Siberian Iris	75		
" verna , Dwarf Iris field-grown	35	3 00	20 00
Liriope graminifolia (<i>Ophiopogon spicatus</i>), Purple-flowered Snake-beard	I 00	7 50	
Lysimachia nummularia , Moneywort	10	75	5 00
Miscanthus japonicus (<i>Eulalia japonica</i>)	I 00	6 00	
" " variegatus (<i>Eulalia japonica variegata</i>)	I 00	6 00	
" sinensis (<i>Eulalia gracillima univittata</i>)	I 00	6 00	

HERBACEOUS PLANTS, GRASSES, ETC., continued.

	Per to	100	1,000
Pachysandra procumbens , Allegheny Mountain Spurge	\$1 00	\$7 50	
“ terminalis , Japanese Spurge	1 00	7 50	
Pæonies. From a collection of several hundred named sorts we offer:			
Single-flowered varieties	1 50	12 00	
“ “ “ stronger plants	2 50	20 00	
Double-flowered varieties	1 75	12 50	
“ “ “ stronger plants	2 50	20 00	
Phlox amœna , Hairy Phlox field-grown	45	4 00	
“ glaberrima , Smooth Phlox field-grown	75		
“ ovata , Mountain Phlox field-grown	45	4 00	\$30 00
“ reptans , Crawling Phlox field-grown	25	2 00	12 50
Phyllostachys aurea , Yellow Bamboo each, \$1 . clumps			
“ kumasasa (<i>Bambusa viminalis</i>), Ruscus-leaved Bamboo each, 65c. . clumps			
“ mitis , Tall Bamboo each, \$1 . clumps			
Plumbago. See Ceratostigma .			
Sanguinaria canadensis , Blood-root clumps	40	3 00	
Sedum pulchellum , Widow's Cross	50	4 00	
“ spectabilis , Large-flowered Orpine	50	4 00	
“ telephioides , American Orpine	1 00		
Sempervivum , in sorts, Houseleek	25	2 00	
Shortia galacifolia , Little Coltsfoot nursery-grown	1 00		
Tanacetum vulgare , Tansy field-grown	40	3 00	20 00
Tradescantia montana , Spiderwort field-grown	25	2 00	15 00
Trillium erectum , Ill-scented Wake robin field-grown	25	2 00	
“ grandiflorum , Large-flowered Wake-robin	35	3 00	
“ stylosum , Wood Pink	50	4 00	
“ undulatum , Painted Wake-robin	50	2 00	
Vernonia noveboracensis , New York Ironweed	35	3 00	
Viola pedata , Bird's-foot Violet nursery-grown, pots	25	2 00	15 00
Yucca baccata , Spanish Bayonet	1 00		
“ filamentosa , Adam's Needle tr., 2 yrs.	40	3 50	27 50
“ “ heavier plants, tr., 3 to 4 yrs.	60	4 25	35 00

8396A7T5HI09

J. HORACE MCFARLAND COMPANY
HORTICULTURAL PRINTERS
HARRISBURG, PENNSYLVANIA



